

Dated: October 20,2013

MATERIAL SAFETY DATA SHEET

1. **Product name:** Babe Lash Mascara
2. **Product category:** EYE Care
3. **Product code:** N/A
4. **Manufacturers Name:** Elixir Cosmetics
5. **MSDS prepared by:** Brandon Hutchins
6. **Hazardous ingredients:** None
7. **Ingredients of animal origin:** none
8. **Chemical Properties:**
Animal Proteins: Absent
Heavy metals: less than 5ppm
Lead: Less than 5ppm
Arsenic: less than 5ppm
9. **Microbiology:**
Pathogens: Absence of E.coli, Salmonellas, A. flavus, A. niger, C.albicans
10. **Material Handling instructions:**
Do not handle using homogenizer, colloid mill, screw extruder V blender, sigma mixer, plunger filler.
Use fluid filler only.
11. **Medical emergency instructions:**
Skin contact: No untoward reaction expected. In case of allergies reaction, wash with water and seek medical advice immediately
Eye contact: Accidental eye contact may cause slight irritation. No untoward reaction expected. Wash with
Warm water and seek medical advice immediately.
12. **Ingestion:** Product not meant for ingestion.
13. **Inhalation:** N/A
14. **Carcinogenicity:** not expected
15. **Known Allergy:** Not expected
16. **Storage condition:** Store below 75 degrees F. Avoid storage in damp or moist area. Do not keep exposed to air for more than 2 hour
17. **Shipping instruction:** No special shipping required.
18. **Fire hazards:** Not inflammable and does not combust.
19. **Disposal of product:** Process product in effluent treatment plant
20. **Transportation:** The goods are semi liquid, non toxic, non flammable, non hazardous and are safe to be carried in any passenger vehicle or aircraft.

Dated: October 20, 2013

MATERIAL SAFETY DATA SHEET

1. **Product name:** Babe Lash Serum 2mL, 4mL
2. **Product category:** EYE Care
3. **Product code:** I.C. Formulation
4. **Manufacturers Name:** Elixir Cosmetics
5. **MSDS prepared by:** Brandon Hutchins
6. **Hazardous ingredients:** None
7. **Ingredients of animal origin:** none
8. **Chemical Properties:**
Animal Proteins: Absent
Heavy metals: less than 5ppm
Lead: Less than 5ppm
Arsenic: less than 5ppm
9. **Microbiology:**
Pathogens: Absence of E.coli, Salmonellas, A. flavus, A. niger, C.albicans
10. **Material Handling instructions:**
Do not handle using homogenizer, colloid mill, screw extruder V blender, sigma mixer, plunger filler.
Use fluid filler only.
11. **Medical emergency instructions:**
Skin contact: No untoward reaction expected. In case of allergies reaction, wash with water and seek medical advice immediately
Eye contact: Accidental eye contact may cause slight irritation. No untoward reaction expected.
Wash with warm water and seek medical advice immediately.
12. **Ingestion:** Product not meant for ingestion.
13. **Inhalation:** N/A
14. **Carcinogenicity:** not expected
15. **Known Allergy:** Not expected
16. **Storage condition:** Store below 75 degrees F. Avoid storage in damp or moist area. Do not keep exposed to air for more than 2 hour
17. **Shipping instruction:** No special shipping required.
18. **Fire hazards:** Not inflammable and does not combust.

19. **Disposal of product:** Process product in effluent treatment plant
20. **Transportation:** The goods are liquid, non toxic, non flammable, non hazardous and are safe to be carried in any passenger vehicle or aircraft.



Babe Ventures Inc.

1.888.840.2223

751 West 800 South, Salt Lake City, UT 84104

info@babethings.com

MATERIAL SAFETY DATA SHEET - TAPE-IN BOND REMOVER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Material Identity

Product Name: MINERAL SPIRITS ODORLESS

General or Generic ID: ALIPHATIC HYDROCARBON

Company: Babe Ventures, Inc.

751 West 800 South,
Salt Lake City, UT 84104

2. COMPOSITION/INFORMATION ON INGREDIENTS:

Ingredients (s)	CAS Number	% (by weight)
Aliphatic hydrocarbons (Stoddard Type)	8052-41-3	100.0

3. HAZARDS IDENTIFICATION:

Potential Health Effects

Eye

Exposure may cause mild eye irritation. Symptoms may include stinging, tearing and redness.

Skin

Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking and skin burns. Skin absorption is possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

Swallowing

Single dose oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can enter the lungs during swallowing or vomiting and cause lung inflammation and/or damage.

Inhalation

Exposure to vapor or mist is possible. Short-term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects; breathing large amounts may be harmful. Symptoms are more typically seen at air concentrations exceeding the recommended exposure limits.

Symptoms of Exposure

Gastro-intestinal irritation, (nausea, vomiting, diarrhea), irritation (nose, throat, respiratory tract), central nervous system, depression (dizziness, drowsiness, weakness, fatigue, nausea, headache and unconsciousness).

Target Organ Effects

No data

Development Information

No data

Cancer Information

Based on the available information, this material cannot be classified with regard to carcinogenicity. This material is not listed as a carcinogen by IARC, NTP or OSHA.

Other Health Effects

No data

Primary Route (s) of Entry

Inhalation, Skin contact, Eye contact.

4. FIRST AID MEASURES:**Eyes**

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Swallowing

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; please individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

Note to Physicians

Pre-existing disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin.

5. FIRE FIGHTING MEASURES:

Flash Point

120.0 - 130.0 F (48.8 - 54.4 C) TCC

Explosive Limit

(for product) Lower .7% Upper 5.0%

Auto-ignition Temperature

No data

Hazardous Products of Combustion

May form: carbon dioxide and carbon monoxide, various hydrocarbons.

Fire and Explosion Hazards

Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, other flames and ignition sources at locations distant from material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Extinguishing Media

Regular foam, carbon dioxide, dry chemical.

Fire Fighting Instructions

Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment section of this MSDS.

NFPA Rating

Health - 0, Flammability - 2, Reactivity -0

6. ACCIDENTAL RELEASE MEASURES:**Small Spill**

Absorb liquid on vermiculite, floor absorbent or other absorbent material.

Large Spill

Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. If run-off occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

7. HANDLING AND STORAGE:**Handling**

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. All five gallon pails and larger metal containers including tank cars and tank trucks should be grounded and/or bonded when material is transferred. Emergency eyewash fountains and safety showers should be available in the immediate vicinity of potential exposure.

Hydrocarbon solvents are basically non-conductors of electricity and can become electrostatically charged during mixing, filtering or pumping at high flow rates. If this charge reaches a sufficiently high level, sparks can form that may ignite the vapors of flammable liquids. Warning!! Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into vacuum equipment, may result in ignitions without the presence of obvious ignition sources. Published "auto-ignition" or "ignition" temperature values cannot be treated as safe operating temperatures in chemical processes without analysis of the actual process conditions. Any use of this product in elevated temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Eye Protection

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

Skin Protection

Wear resistant gloves (consult your safety equipment supplier). To prevent repeated or prolonged skin contact, wear impervious clothing and boots.....

Respiratory Protections

If workplace exposure limit (s) of product or any component is exceeded (see exposure guidelines), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your industrial hygienist). Engineering or administrative controls should be implemented to reduce exposure.

Engineering Controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV (s).

Exposure Guidelines

Component

ALIPHATIC HYDROCARBONS (STODDARD TYPE) (8052-41-3)

OSHA VPEL 100.000 ppm -TWA

ACGIH TLV 100.000 ppm -TWA

9. PHYSICAL AND CHEMICAL PROPERTIES:

Boiling Point

(for product) 340.0 - 400.0 F (171.1 - 204.4 C) @ 760 mmHg

Vapor Pressure

(for product) 2.000 mmHg @ 68.00 F

Specific Vapor Density

4.900 @ AIR=1

Specific Gravity

.758 @ 60.00 F

Liquid Density

6.320 lbs/gal @ 60.00 F

.758 kg/l @ 16.00 C

Percent Volatiles

100.0%

Volatile Organic Compounds (VOC)

100.000%

758.000 g/l

6.320 lbs/gal

Evaporation Rate

70.00 (Ether)

Appearance

Colorless liquid

State

Liquid

Physical Form

Neat

Color

Clear colorless

Odor

Hydrocarbon

pH

No data

Solubility in Water

Negligible

Bulk Density

.840 lbs/ft³**10. STABILITY AND REACTIVITY:**

Hazardous Polymerization

Product will not undergo hazardous polymerization.

Hazardous Decomposition

May form: carbon dioxide and carbon monoxide, various hydrocarbons.

Chemical Stability

Stable

Incompatibility

Avoid contact with: strong oxidizing agents

11. TOXICOLOGICAL INFORMATION:

No data

12. ECOLOGICAL INFORMATION:

No data

13. DISPOSAL CONSIDERATION:

Waste Management Information

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION:

DOT Information - 49 CFR 172.101

Dot Description:

PETROLEUM DISTILLATES, N.O.S., COMBUSTIBLE LIQUID
UN1268, III

Container/Mode:

55 GAL DRUM/TRUCK PACKAGE

NOS Component:

NAPATHA

RQ (Reportable Quantity) - 49 CFR 172.101

Not applicable

15. REGULATORY INFORMATION:

US Federal Regulations

TSCA (Toxic Substances Control Act) Status

TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 302.4

None

SARA 302 Components - 40 CFR 355 Appendix A

None



Babe Ventures Inc.

1.888.840.2223

| 751 West 800 South, Salt Lake City, UT 84104

| info@babethings.com

MATERIAL SAFETY DATA SHEET - REPLACEMENT TAPE

PRODUCT NAME: Replacement Tape

DESCRIPTION: Replacement Tape is a double coated medical type product containing 4 mils of a reinforced acrylic pressure sensitive adhesive coated on each side of a 2 mil natural colored polyurethane film. Replacement tape is supplied on a 76#, layflat paper release liner.

INGREDIENTS: 50-58% Reinforced Acrylic Adhesive (Trade Secret)
11-17% Polyurethane Film (Trade Secret)
29-35% Silicone Coated 2-Sides, Polyurethane 2-sides, Bleached Kraft Paper (Trade Secret)

SECTION 1

Boiling Point: N/A

VAP Press: N/A

VAP Density (Air=1): N/A

Appearance and Odor: Rolls of double coated medical tape.

PHYSICAL DATA

Sol. In Water: Very Slight

% Volatile by Wt: < 1.0%

SECTION 2

Flash Point: N/A

Method Used: N/A

Extinguishing Media: Water spray, foam, dry chemical or CO₂.

FIRE AND EXPLOSION HAZARD DATA

Flammable Limits: N/A

LFL: N/A **UFL:** N/A

Special Fire Fighting Equipment and Hazards: Recommended self-contained breathing apparatus for serious fires. Products of combustion same as ordinary combustibles: Carbon, carbon dioxide, carbon monoxide, and silicon dioxide. Dense smoke emitted when burned.

SECTION 3

Stability:

Incompatibility:

Hazardous Decomposition Products:

Hazardous polymerization:

REACTIVITY DATA

Stable

None known.

CO, CO₂, unknown hydrocarbons, silicon dioxide

Will not occur.



Babe Ventures Inc.

1.888.840.2223

| 751 West 800 South, Salt Lake City, UT 84104

| info@babethings.com

REPLACEMENT TAPE MSDS, Page 2

SECTION 4

Action to Take for Spills:

SPILL, LEAK AND DISPOSAL PROCEDURES

Salvage if possible, bury remainder in landfill or incinerate per local, state, or federal EPA regulations.

Disposal Method:

Landfill or incinerator per local, state, or federal EPA regulations.

SECTION 5

Eye:

HEALTH HAZARD DATA

Possible mechanical injury.

Skin Contact:

Allergic reactions to one's own chemical make up is always possible. People with contact dermatitis caused by a reaction to their own chemical make up can develop a redness or rash even with medical grade and hypoallergenic adhesives. Although Replacement Tape is a medical grade tape, we still recommend a patch test prior to using for the first time, as we would anything with prolonged contact with the skin.

Skin Absorption:

Not likely to be absorbed.

Ingestion:

Not likely a problem because of physical form.

Inhalation:

Not likely to be a problem of physical form; mechanical suffocation possible.

Systemic & Other Effects:

None Known.

SECTION 6

Eye(s):

FIRST AID

Mechanical injury only. Stain for evidence of corneal injury.

Skin:

No first aid measures normally required. Wash skin with soap and water.

Ingestion:

No first aid measures normally required.

Inhalation:

No first aid measures normally required.

SECTION 7

Ventilation:

SPECIAL HANDLING INFORMATION

Good room ventilation usually adequate for most operations.

Respiratory Protection:

None normally required.

Eye Protection:

Safety glasses are recommended.



Babe Ventures Inc.

1.888.840.2223

751 West 800 South, Salt Lake City, UT 84104

info@babethings.com

MATERIAL SAFETY DATA SHEET - Mascara

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier LASHCARE VOLUME UP COATING MASCARA		[WHMIS Classification]	
Product Use APPLY ONTO EYELASH EXTENSIONS			
Supplier's Name BABE			
Street Address 751 W 800 S			
City SALT LAKE CITY	Province UT		
Postal Code 84104	Emergency Telephone +1-801-206-4782		
Date MSDS Prepared 03/27/2008	MSDS Prepared By FJK	Phone Number +1-888-840-2223	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients (<i>specific</i>)
Water, Isobutylene/Sodium Maleate, Copolymer, Acrylates Copolymer, Iron Oxides (ci77499), Copernicia Cerilera Wax, Stearic Acid, Beeswax, Cetyl Alcohol, Propylene Glycol, Polysorbate 60, Triethanolamine, Sorbitan Sesquioleate, Butylparaben, Propylparaben, Ethylparaben, Methylparaben

SECTION 3 — HAZARDS IDENTIFICATION

Major health Hazards This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.
Physical Hazards No specific information available.
Potential Health Hazards No
Eye Not expected to be irritating to the eye.
Skin Not expected to be irritating, sensitizing, photoallergenic or phototoxic when used as intended. If irritation occurs following intended use or prolonged contact it is expected to mild and transient.
Ingestion Product used as intended is not expected to cause gastrointestinal irritation. Accidental ingestion of undiluted product may cause mild gastrointestinal irritation with nausea, vomiting, and diarrhea.
Inhalation Not expected to be irritating to the respiratory system. Limited inhalation exposure anticipated for this product form.
Chronic No information found.

SECTION 4 — FIRST AID MEASURES

Eye Contact
Thorough rinsing for 15-20 minutes of the affected eye with water is recommended. If discomfort or irritation persists, consult a physician. If the eye is accidentally scratched with a mascara brush, consult a physician immediately.
Skin Problem
Discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, consult a physician.
Ingestion
Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion dilute with fluids (water or milk) and treat symptomatically. Do not induce vomiting. Note: After first aid treatment, the caller should advise that 1) a hospital emergency room or family physician should be consulted if anything unusual occurs or appears necessary in the judgment of the caller, & 2) that the subsequent management of the accident should be dictated by any persistent symptoms and under the direction of the physician.
Inhalation
If respiratory irritation occurs, remove individual to fresh air.

SECTION 5 — FIRE FIGHTING MEASURES

Method		
Extinguishing Media: Use chemical foam, dry chemical, carbon dioxide or water.		
Fire-Fighting Instructions: Contact emergency personnel. Use self-contained breathing apparatus and full protective gear if large quantities of product are involved. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen; hydrocarbons and/or derivatives.		
Flashpoint (° C) and Method	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
61° C	No Data	No Data
Autoignition Temperature (°C)	Explosion Data — Sensitivity to Impact	Explosion Data — Sensitivity to Static Discharge
No Data	No Data	No Data
Hazardous Combustion Products		
[NFPA]		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures
For Household Settings: Ventilated area and eliminate all ignition sources.
For Non-Household Settings: Use safety glasses or safety goggles if splash hazards exist; use gloves and other protective clothing (apron, boots, etc.) to prevent skin contact.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment Do not expose to heat and flame. No unusual handling or storage requirements. Storage in large quantities (as in warehouses) should be in a well-ventilated, cool area.
Storage Requirements Do not expose to heat and flame. Avoid extreme temperatures. Close container after each use. No unusual handling or storage requirements. Storage in large quantities (as in warehouses) should be in a well-ventilated, cool area.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

For Household Settings:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.
For Non-Household Settings:	Use safety glasses or safety goggles if splash hazards exist; use gloves and other protective clothing (apron, boots, etc.) to prevent skin contact. Always follow good hygienic work practices. Avoid prolonged contact with skin and clothing.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Semi-Solid	Odour and Appearance Black	Odor Threshold (ppm) No odor
Specific Gravity (H2O = 1) <.01	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) N/A
Evaporation Rate N/A	Boiling Point (° C) N/A	Freezing Point (° C) N/A
pH 7.0 – 8.5	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] N/A

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Conditions to Avoid	No applicable information has been found.
Other Recommendations	None.

SECTION 11 — TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. To safeguard the purity of the product and applicator: (1) Always handle and apply in a careful and sanitary manner; (2) Do not share with others; (3) Do not add anything to the mascara; (4) Do not rest the applicator on any surface or use an old applicator in a new case; (5) Cap tightly to help prevent changes in odor or appearance (if change occurs, discontinue use). Warning: Eye cosmetics in a scratched, infected or irritated eye and scratches from eye cosmetic applicators can lead to eye damage and in extreme cases even blindness. If you eye is scratched, infected, or irritated, stop using all eye cosmetics and see an ophthalmologist (eye doctor) immediately.
Chronic Effects Finished product is not expected to have chronic health effects.
Target organs No adverse health effects on target organs expected for finished product.
Carcinogenicity Finished product is not expected to be carcinogenic
NTP: No IARC: No OSHA: No

SECTION 12 — ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid, waste management practices. Additional information is available from the supplier on request.

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Bio degradability	Chemical Oxygen Demand			
N/DA	N/DA			

SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Disposal should be in accordance with Federal, State/Provincial and Local regulations.
For Household Settings	The following instructions are for consumer usage only. Do not discharge product into natural waters.
For Non-Household Settings	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
California Waste Code:	331

SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Finished packaged product transported by ground (DOT)	Non hazardous.
Finished packaged product transported by vessel (IMDG)	Non hazardous.
Finished packaged product transported by air (IATA)	Non hazardous.

SECTION 15 — REGULATORY INFORMATION

US Federal Regulations

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

CA Prop 65: This product is not subject to warning labeling under California Proposition 65.

European Inventory

Coating Mascara

- SAFETY PHRASES: S24/25: *Avoid direct contact with skin and eyes*, S26: *In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advice*, S37: *Wear suitable gloves*.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16 — OTHER INFORMATION

DISCLAIMER

This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by JB COSMETICS to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. JB COSMETICS assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

MATERIAL SAFETY DATA SHEET – Black Bond Adhesive, Regular

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SYNTHETIC HAIR ADHESIVE		[WHMIS Classification] CYANOACRYLATE ESTER	
Product Use ADHERE SYNTHETIC HAIR			
Supplier's Name Babe			
Street Address 751 W 800 South			
City Salt Lake City	Province UT		
Postal Code 84104	Emergency Telephone 1-951-817-9300		
Date MSDS Prepared 03/27/2008	MSDS Prepared By FJK	Phone Number 1-888-840-2223	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name				
Ethyl Cyanoacrylate / Cyanoacrylate				
Ethoxyethyl Cyanoacrylate				
Poly (Methyl Methacrylate)				
Carbon Black				
Hydroquinone				

SECTION 3 — HAZARDS IDENTIFICATION

Emergency Overview This product is colored, Solvent borne Cyano Methacrylate.
Primary Route of Entry No specific information available.
Eye No specific information available. Contains materials that are essentially nonirritating, but contact with vapor or liquid may irritate the eyes.
Skin No specific information available. Contains materials that may cause slight irritation to skin.
Ingestion No specific information available. Contains materials that may cause pain, nausea, and vomiting.
Inhalation No specific information available. Contains vapor that may cause headaches, nausea, and irritation of the nose, throat, and lungs
Chronic No information found.

SECTION 4 — FIRST AID MEASURES

Eye Contact Immediately flush eyes with running water for at least 15 minutes. If redness, itching, or burning sensation develops, seek medical attention.
Skin Contact Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, seek medical attention.
Ingestion Seek medical attention immediately.
Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air and provide oxygen if breathing is difficult. Give artificial respiration. If breathing has stopped, seek medical attention immediately.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		If yes, under which conditions? 150-200F
Method Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire. Fire-Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment, including self contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.		
Flashpoint (° C) and Method No Data	Upper Flammable Limit (% by volume) No Data	Lower Flammable Limit (% by volume) No Data
Autoignition Temperature (°C) No Data	Explosion Data — Sensitivity to Impact No Data	Explosion Data — Sensitivity to Static Discharge No Data
Hazardous Combustion Products		
[NFPA]		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures Small Spills: Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning rub off out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water. Large Spills: Use same procedure as small spills.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment Avoid skin or eye contact. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area and keep out of the reach of children.
Storage Requirements Keep from freezing. Product will coagulate. Keep container tightly closed when not in use. Do not get in eyes, on skin, or on clothing. Monomer vapors can be evolved with material when heated. Containers, even those that have been emptied, will retain product residue and are subject to proper waste disposal, as above.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation	Mechanical ventilation suggested with special explosion proof electrical systems.
Respiratory Protection	Not required under normal working/use conditions.
Eye Protection	Safety goggles used to minimize splashes that might get into eyes.
Skin Protection	Suggest chemical resistant gloves.
Personal Hygiene	Avoid inhalation of vapors and skin contact. Dry with dry toweling.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Colored liquid	Odour Threshold (ppm) Pungent odor
Specific Gravity 1.021	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) 2 torr
Evaporation Rate N/A	Boiling Point (° C) 100° C	Freezing Point (° C) -40° F
pH 6 - 7	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] Insoluble in water, polymerizes

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Hazardous Polymerization	Polymerizes in water
Conditions to Avoid	Avoid extreme cold and extreme heat
Incompatible Materials	Strong reducing agents, amines, alcohol, alkali metals
Hazardous Decomposition Products	Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

SECTION 11 — TOXICOLOGICAL INFORMATION

Oral Toxicity LD ₅₀ (Rat) 5000 mg/Kg
Skin Toxicity LD ₅₀ (Rabbit) 2000 mg/Kg
Skin Bonds skin together in seconds.
Eye Moderate irritant material is corrosive
Carcinogenicity None of the individual materials in this formulation are listed as carcinogens in NTP, IARC Monographs, or are OSHA Regulated carcinogens.

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Bio degradability	Chemical Oxygen Demand			
N/DA	N/DA			

SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Avoid contact with eyes and prolonged contact with skin. Avoid breathing misted vapors.
Spills Clean-Up Procedures	Put into paper bag.
Disposal Method	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
Storage	No smoking when working with product. Protect container against physical damage, keep out of sunlight and partially empty containers are more dangerous than full containers, keep lids tight after use and store in a cool, well ventilated area.

SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Proper Shipping Name	Unrestricted
Identification Number	None
Marine Pollutant	No
HazardClass or Division	Unrestricted
Special Information	Unrestricted
Emergency Response Guidance	N/A

SECTION 15 — REGULATORY INFORMATION

US Federal Regulations Health & Safety at Work etc. Act 1974 Control of Substances Hazardous to Health Regulations 1994 Environmental Protection Act 1990 Special Waste Regulations 1996
European Inventory Black Lash Bond Adhesive HAZARD SYMBOLS: Xi: Irritant Danger – Cyanoacrylate. Bonds skin and eyes in seconds. Keep out of the reach of children. RISK PHRASES: R36/37/38: <i>Irritating to eyes, respiratory system and skin</i> , SAFETY PHRASES: S24/25: <i>Avoid direct contact with skin and eyes</i> , S26: <i>In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advise</i> , S37: <i>Wear suitable gloves</i> .
<i>This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.</i>

SECTION 16 — OTHER INFORMATION

Hazard	HFPA Hazard Code ®	HMIS Hazard Code ®
Health	2	2
Fire	2	2
Reactivity	1	1

DISCLAIMER

This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Babe Lash Ext. to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Babe Lash Extensions assumed no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.



MATERIAL SAFETY DATA SHEET – Black Bond Adhesive, Strong

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier BLACK LASH/HAIR ADHESIVE		[WHMIS Classification] CYANOACRYLATE ESTER	
Product Use ADHERE SYNTHETIC LASHES			
Supplier's Name Babe			
Street Address 751 W 800 South			
City Salt Lake City	Province UT		
Postal Code 84104	Emergency Telephone 1-951-817-9300		
Date MSDS Prepared 07/14/2009	MSDS Prepared By FJK	Phone Number 1-888-840-2223	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name				
Ethyl Cyanoacrylate / Cyanoacrylate				
Ethoxyethyl Cyanoacrylate				
Poly (Methyl Methacrylate)				
Carbon Black				
Hydroquinone				

SECTION 3 — HAZARDS IDENTIFICATION

Emergency Overview This product is colored, Solvent borne Cyano Methacrylate.
Primary Route of Entry No specific information available.
Eye No specific information available. Contains materials that are essentially nonirritating, but contact with vapor or liquid may irritate the eyes.
Skin No specific information available. Contains materials that may cause slight irritation to skin.
Ingestion No specific information available. Contains materials that may cause pain, nausea, and vomiting.
Inhalation No specific information available. Contains vapor that may cause headaches, nausea, and irritation of the nose, throat, and lungs
Chronic No information found.

SECTION 4 — FIRST AID MEASURES

Eye Contact Immediately flush eyes with running water for at least 15 minutes. If redness, itching, or burning sensation develops, seek medical attention.
Skin Contact Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, seek medical attention.
Ingestion Seek medical attention immediately.
Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air and provide oxygen if breathing is difficult. Give artificial respiration. If breathing has stopped, seek medical attention immediately.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable <input checked="" type="checkbox"/> Yes No	If yes, under which conditions? 150-200F	
Method Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire. Fire-Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment, including self contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.		
Flashpoint (° C) and Method No Data	Upper Flammable Limit (% by volume) No Data	Lower Flammable Limit (% by volume) No Data
Autoignition Temperature (°C) No Data	Explosion Data — Sensitivity to Impact No Data	Explosion Data — Sensitivity to Static Discharge No Data
Hazardous Combustion Products		
[NFPA]		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures
Small Spills: Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning rub off out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.
Large Spills: Use same procedure as small spills.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment Avoid skin or eye contact. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area and keep out of the reach of children.
Storage Requirements Keep from freezing. Product will coagulate. Keep container tightly closed when not in use. Do not get in eyes, on skin, or on clothing. Monomer vapors can be evolved with material when heated. Containers, even those that have been emptied, will retain product residue and are subject to proper waste disposal, as above.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation	Mechanical ventilation suggested with special explosion proof electrical systems.
Respiratory Protection	Not required under normal working/use conditions.
Eye Protection	Safety goggles used to minimize splashes that might get into eyes.
Skin Protection	Suggest chemical resistant gloves.
Personal Hygiene	Avoid inhalation of vapors and skin contact. Dry with dry toweling.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Colored liquid	Odour Threshold (ppm) Pungent odor
Specific Gravity 1.021	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) 2 torr
Evaporation Rate N/A	Boiling Point (° C) 100° C	Freezing Point (° C) -40° F
pH 6 - 7	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] Insoluble in water, polymerizes

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes No	
Hazardous Polymerization	Polymerizes in water
Conditions to Avoid	Avoid extreme cold and extreme heat
Incompatible Materials	Strong reducing agents, amines, alcohol, alkali metals
Hazardous Decomposition Products	Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

SECTION 11 — TOXICOLOGICAL INFORMATION

Oral Toxicity LD ₅₀ (Rat) 5000 mg/Kg
Skin Toxicity LD ₅₀ (Rabbit) 2000 mg/Kg
Skin Bonds skin together in seconds.
Eye Moderate irritant material is corrosive
Carcinogenicity None of the individual materials in this formulation are listed as carcinogens in NTP, IARC Monographs, or are OSHA Regulated carcinogens.

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Bio degradability	Chemical Oxygen Demand			
N/DA	N/DA			

SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Avoid contact with eyes and prolonged contact with skin. Avoid breathing misted vapors.
Spills Clean-Up Procedures	Put into paper bag.
Disposal Method	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
Storage	No smoking when working with product. Protect container against physical damage, keep out of sunlight and partially empty containers are more dangerous than full containers, keep lids tight after use and store in a cool, well ventilated area.

SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Proper Shipping Name	Unrestricted (not more than 450 liters) Combustible liquid, N.O.S. (more than 450 liters)
Identification Number	None (not more than 450 liters)
Marine Pollutant	No
HazardClass or Division	Unrestricted (not more than 450 liters) Combustible liquid (more than 450 liters)
Special Information	US DOT Shipping Description for Highway. Do not ship by air with out special approved packaging for air. Combustible liquid, N.O.S. (Cyanoacrylate ester) NA1993, III LTD QTY
Emergency Response Guidance	N/A

SECTION 15 — REGULATORY INFORMATION

US Federal Regulations Health & Safety at Work etc. Act 1974 Control of Substances Hazardous to Health Regulations 1994 Environmental Protection Act 1990 Special Waste Regulations 1996
European Inventory Black Lash Bond Adhesive <ul style="list-style-type: none"> <input checked="" type="checkbox"/> HAZARD SYMBOLS: Xi: Irritant <input checked="" type="checkbox"/> Danger – Cyanoacrylate. Bonds skin and eyes in seconds. Keep out of the reach of children. <input checked="" type="checkbox"/> RISK PHRASES: R36/37/38: <i>Irritating to eyes, respiratory system and skin,</i> <input checked="" type="checkbox"/> SAFETY PHRASES: S24/25: <i>Avoid direct contact with skin and eyes, S26: In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advise, S37: Wear suitable gloves.</i>
<i>This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.</i>

SECTION 16 — OTHER INFORMATION

Hazard	HFPA Hazard Code ®	HMIS Hazard Code ®
Health	2	2
Fire	2	2
Reactivity	1	1

DISCLAIMER

This MSDS Is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Babe Lash to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Babe Lash assumed no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.



MATERIAL SAFETY DATA SHEET – Black Bond Adhesive, Sensitive

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier MEDICAL GRADE, BLACK LASH/HAIR ADHESIVE		[WHMIS Classification] CYANOACRYLATE ESTER	
Product Use ADHERE SYNTHETIC LASHES			
Supplier's Name Babe			
Street Address 751 W 800 South			
City Salt Lake City	Province UT		
Postal Code 84104	Emergency Telephone 1-951-817-9300		
Date MSDS Prepared 03/27/2008	MSDS Prepared By FJK	Phone Number 1-888-840-2223	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients (<i>specific</i>)				
Ethoxyethyl Cyanoacrylate				
Poly (Methyl Methacrylate)				
Carbon Black				
Hydroquinone				

SECTION 3 — HAZARDS IDENTIFICATION

Emergency Overview This product is colored, Solvent borne Cyano Methacrylate.
Primary Route of Entry No specific information available.
Eye No specific information available. Contains materials that are essentially nonirritating, but contact with vapor or liquid may irritate the eyes.
Skin No specific information available. Contains materials that may cause slight irritation to skin.
Ingestion No specific information available. Contains materials that may cause pain, nausea, and vomiting.
Inhalation No specific information available. Contains vapor that may cause headaches, nausea, and irritation of the nose, throat, and lungs
Chronic No information found.

SECTION 4 — FIRST AID MEASURES

Eye Contact Immediately flush eyes with running water for at least 15 minutes. If redness, itching, or burning sensation develops, seek medical attention.
Skin Contact Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, seek medical attention.
Ingestion Seek medical attention immediately.
Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air and provide oxygen if breathing is difficult. Give artificial respiration. If breathing has stopped, seek medical attention immediately.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable <input checked="" type="checkbox"/> Yes No	If yes, under which conditions? 150-200F	
Method Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire. Fire-Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment, including self contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.		
Flashpoint (° C) and Method No Data	Upper Flammable Limit (% by volume) No Data	Lower Flammable Limit (% by volume) No Data
Autoignition Temperature (°C) No Data	Explosion Data — Sensitivity to Impact No Data	Explosion Data — Sensitivity to Static Discharge No Data
Hazardous Combustion Products		
[NFPA]		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures
Small Spills: Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning rub off out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.
Large Spills: Use same procedure as small spills.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment Avoid skin or eye contact. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area and keep out of the reach of children.
Storage Requirements Keep from freezing. Product will coagulate. Keep container tightly closed when not in use. Do not get in eyes, on skin, or on clothing. Monomer vapors can be evolved with material when heated. Containers, even those that have been emptied, will retain product residue and are subject to proper waste disposal, as above.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation	Mechanical ventilation suggested with special explosion proof electrical systems.
Respiratory Protection	Not required under normal working/use conditions.
Eye Protection	Safety goggles used to minimize splashes that might get into eyes.
Skin Protection	Suggest chemical resistant gloves.
Personal Hygiene	Avoid inhalation of vapors and skin contact. Dry with dry toweling.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Colored liquid	Odour Threshold (ppm) Pungent odor
Specific Gravity 1.021	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) 2 torr
Evaporation Rate N/A	Boiling Point (° C) 100° C	Freezing Point (° C) -40° F
pH 6 - 7	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] Insoluble in water, polymerizes

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes No	
Hazardous Polymerization	Polymerizes in water
Conditions to Avoid	Avoid extreme cold and extreme heat
Incompatible Materials	Strong reducing agents, amines, alcohol, alkali metals
Hazardous Decomposition Products	Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

SECTION 11 — TOXICOLOGICAL INFORMATION

Oral Toxicity LD ₅₀ (Rat) 5000 mg/Kg
Skin Toxicity LD ₅₀ (Rabbit) 2000 mg/Kg
Skin Bonds skin together in seconds.
Eye Moderate irritant material is corrosive
Carcinogenicity None of the individual materials in this formulation are listed as carcinogens in NTP, IARC Monographs, or are OSHA Regulated carcinogens.

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Bio degradability	Chemical Oxygen Demand			
N/DA	N/DA			

SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Avoid contact with eyes and prolonged contact with skin. Avoid breathing misted vapors.
Spills Clean-Up Procedures	Put into paper bag.
Disposal Method	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
Storage	No smoking when working with product. Protect container against physical damage, keep out of sunlight and partially empty containers are more dangerous than full containers, keep lids tight after use and store in a cool, well ventilated area.

SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Proper Shipping Name	Unrestricted (not more than 450 liters) Combustible liquid, N.O.S. (more than 450 liters)
Identification Number	None (not more than 450 liters)
Marine Pollutant	No
HazardClass or Division	Unrestricted (not more than 450 liters) Combustible liquid (more than 450 liters)
Special Information	US DOT Shipping Description for Highway. Do not ship by air with out special approved packaging for air. Combustible liquid, N.O.S. (Cyanoacrylate ester) NA1993, III LTD QTY
Emergency Response Guidance	N/A

SECTION 15 — REGULATORY INFORMATION

US Federal Regulations Health & Safety at Work etc. Act 1974 Control of Substances Hazardous to Health Regulations 1994 Environmental Protection Act 1990 Special Waste Regulations 1996
European Inventory Black Medical Grade Adhesive <ul style="list-style-type: none"> ☒ HAZARD SYMBOLS: Xi: Irritant ☒ Danger – Cyanoacrylate. Bonds skin and eyes in seconds. Keep out of the reach of children. ☒ RISK PHRASES: R36/37/38: <i>Irritating to eyes, respiratory system and skin,</i> ☒ SAFETY PHRASES: S24/25: <i>Avoid direct contact with skin and eyes,</i> S26: <i>In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advise,</i> S37: <i>Wear suitable gloves.</i>
<i>This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.</i>

SECTION 16 — OTHER INFORMATION

Hazard	HFPA Hazard Code ®	HMIS Hazard Code ®
Health	2	2
Fire	2	2
Reactivity	1	1
DISCLAIMER		
<p>This MSDS Is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Babe Lash to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all -inclusive document on worldwide hazard communication regulations.</p> <p>This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Babe Lash Ext. assumed no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.</p>		



Babe Ventures Inc.

1.888.840.2223

751 West 800 South, Salt Lake City, UT 84104

info@babethings.com

MATERIAL SAFETY DATA SHEET

Dry Shampoo

PAGE 1 of 3

Section I: General Information

Babe Ventures, Inc.
751 West 800 South,
Salt Lake City, UT 84104

Emergency Phone: CHEMTREC
(800) 424-9300
Information Phone: (815) 634-5100
Date Prepared: 3/30/12
File:

Product consists mainly of a fragranced alcohol mixture expelled by hydrocarbon propellants.

NFPA Class: Level 3 Aerosols

N.M.F.C. Classification: Deodorants, N.O.I., In Boxes, NMFC Item 57100,
Sub 1, Class 60

UN Number - UN 1950

Section II: Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity/Common Name)	OSHA PEL	ACGIH TLV	%
SD Alcohol (Comprised of)			< 20.0
(Ethyl Alcohol CAS# 64-17-5)		1000 ppm	99.7)
(*T-butyl Alcohol CAS# 75-65-0)		100 ppm	0.001)
CAS# 121-54-0		N/E	< 0.2
Propane CAS# 74-98-6		800 ppm	< 25.0
Butane CAS# 106-97-8		800 ppm	< 70.0

*Materials that are subject to Section 311, 312 and/or 313 of
SARA Title III reporting requirements.

Hazard Ratings: Health - 1 Fire - 3 Reactivity - 0 Other - 0

(N/K = Not Known N/E = Not Established N/A = Not Applicable)

Section III: Physical/Chemical Characteristics

Boiling Point (of conc.): N/E Specific Gravity (of conc.): 0.81
Container Pressure (psig @ 70F): 55-65 Melting Point: N/A
(Internal pressure will increase with temperature)
Vapor Density (AIR=1): < 1 Evaporation Rate: H2O=1): > 1
Solubility in Water: Complete
Appearance and Odor: Concentrate (conc.) is pale yellow to clear, highly
fragranced liquid.

Section IV: Fire and Explosion Hazard Data

Flash Point: 65F T.O.C. * Flammable Limits: LEL 3.3% UEL 19%
Extinguishing Media: CO2 or dry chemical for small fires. Foam for large
fires.
Special Fire Fighting Procedures: Addition of water fog will aid in reducing
burning rate. Use of NIOSH self-contained breathing apparatus
in confined areas.
Unusual Fire and Explosion Hazards: Flammable vapors may travel along floor
to ignite by distant ignition sources.
Pressurized containers involved with fire may develop sufficient
pressure to rupture with explosive force. Cool exposed containers
with heavy water spray.

(* For pure ethanol)

Section V: Reactivity Data

Stability: Stable Conditions to Avoid: Keep away from heat or ignition sources.

Incompatibility: Keep concentrate away from strong oxidizing agents.

Hazardous Decomposition or Byproducts: Combustion of liquid may form oxides of carbon and nitrogen.

Hazardous Polymerization: Will not occur.

Conditions to avoid: None known when used as directed.

Section VI: Health Hazard Data

Route(s) of Entry: Primary - Inhalation. Eye, skin and ingestion.

Health Hazards (Acute and Chronic): Inhalation - irritation of respiratory tract. Eye - irritation; possible damage from large doses. Ingestion - irritation of gastro-intestinal tract. Skin - possible irritation from large doses.

Carcinogenicity: N/A

Signs and Symptoms of Overexposure: Inhalation - irritation of respiratory tract, headache, dizziness, fatigue. Ingestion - irritation of gastro-intestinal tract, nausea, diarrhea, vomiting. Eye - irritation or burning sensation. Skin - irritation or reddening.

Medical Conditions Generally Aggravated by Exposure: None known when used as directed.

Emergency and First Aid Procedures: Inhalation - remove victim to fresh air, obtain medical attention if necessary. Ingestion - call a physician or poison control center, induce vomiting only on the advice of a physician. Eyes - Flush with water for fifteen (15) minutes, obtain medical attention if irritation persists.

(NOTE: This product is considered safe when used as directed.)

Section VII: Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: Eliminate all ignition sources (vapor flammable). Ventilate area. Small spills should be flushed with large amounts of water. Large spills should be absorbed on non-flammable absorbent material for disposal.

Waste Disposal Method(s): Incineration of liquid, incineration or landfill of contaminated absorbent in accordance with local, state or federal regulations. Contact local authorities for proper disposal method.

Precautions to be Taken in Handling and Storing: Product should be kept in cool, dry environment. Keep product away from ignition sources.

Other Precautions: KEEP OUT OF REACH OF CHILDREN.
USE ONLY AS DIRECTED ON LABEL.
DISPOSE OF CONTAINER PROPERLY.
DO NOT PUNCTURE OR ATTEMPT TO OPEN PRESSURIZED CONTAINER UNDER ANY CIRCUMSTANCES.

Section VIII: Control Measures

Respiratory Protection (Specify Type): None necessary when product is used as directed. Avoid prolonged or repeated breathing of vapors.

Ventilation: For salon use, always provide adequate ventilation. Local exhaust preferred. Mechanical exhaust acceptable.

Protective Gloves: None necessary when product is used as directed.

Eye Protection: Avoid contact with eyes. None necessary when product is used as directed.

Work/Hygienic Practices: Normal safe working practices.

The information contained herein is based on the data available to us and is believed to be correct to the best of our ability. However, Chicago Aerosol, LLC makes no warranty, expressed or implied, regarding the accuracy of this data nor assumes any responsibility for injury from the intentional or non-intentional misuse of this product.



Babe Ventures Inc.

1.888.840.2223

| 751 West 800 South, Salt Lake City, UT 84104

| info@babethings.com

MATERIAL SAFETY DATA SHEET - KERATIN BOND REMOVER

SECTION 1 **NAME**

PRODUCT NAME: KERATIN BOND REMOVER

CHEM NAME: IPA, DIMETHYLCARBINOL

CHEM FAMILY: ALCOHOL

SECTION 11-A **INGREDIENTS**

DIMETHYLCARBINOL

CAS NO.

67-63-0

SECTION III HEALTH INFORMATION

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

EYE CONTACT:

MODERATELY IRRITATING TO THE EYES.

SKIN CONTACT:

MILDLY IRRITATING TO THE SKIN.

INHALATION:

MAY CAUSE MILD IRRITATION TO THE NOSE, THROAT AND RESPIRATORY TRACT AND MAY RESULT IN CENTRAL NERVOUS SYSTEM (CNS) DEPRESSION.

PHYSICAL DATA:

BOILING POINT: 180

SPECIFIC GRAVITY (H₂O=1): 0.789 @ 60 DEG F

VAPOR PRESSURE (MM HG): 32 @ 68 DEG F

MELTING POINT (DEG F): -127

SOLUBILITY IN WATER: COMPLETE

VAPOR DENSITY (AIR=1) 2.1

EVAPORATION RATE (NORMAL BUTYL ACETATE=1): 1.4

FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD: 53 DEG F -TCC

FLAMMABLE LIMITS/PERCENT VOLUME IN AIR: LOWER: 2 UPPER: 12

EXTINGUISHING MEDIA:

USE WATER FOG, "ALCOHOL" FOAM, DRY CHEMICAL OR CO2

THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE, BUT IS NOT WARRANTED TO BE
WHETHER ORIGINATED WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN
ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR
CIRCUMSTANCES.



Babe Ventures Inc.

1.888.840.2223

751 West 800 South, Salt Lake City, UT 84104

info@babethings.com

MATERIAL SAFETY DATA SHEET - Protective Sealer

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier LASHCARE LONGER-LIFE COATING SEALER		[WHMIS Classification]	
Product Use APPLY ON EXTENDED LASHES			
Supplier's Name BABE			
Street Address 751 W 800 S			
City SALT LAKE CITY	Province UT		
Postal Code 84104	Emergency Telephone +1-801-206-4782		
Date MSDS Prepared 5/13/10	MSDS Prepared By FJK	Phone Number +1-888-840-2223	

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients (<i>specific</i>)	%
Water	78.299%
Propylene Glycol	5%
Alcohol	5%
Polyvinyl Alcohol	5%
Acrylates Copolymer	3%
Betaine	3%
Panthenol	0.2%
Methylparaben	0.2%
Sodium Ascorbyl Phosphate	0.1%
Chlorphenesin	0.1%
Biotin	0.05%
Arginine	0.05%
Copper Tripeptide-1	0.001%
TOTAL	100%

SECTION 3 — HAZARDS IDENTIFICATION

Major health Hazards Respiratory tract irritation, skin irritation, eye irritation.
Physical Hazards Vapor may cause flash fire.
Potential Health Hazards:
Eye May cause irritation.
Skin May cause tingling sensation.
Ingestion May cause gastrointestinal irritation, nausea, diarrhea, symptoms of drunkenness, and may cause kidney damage, liver damage in case of term exposure.
Inhalation May cause irritation, nausea, vomiting, stomach pain, headache, drowsiness, symptoms of drunkenness, visual disturbances.
Chronic No information found.

SECTION 4 — FIRST AID MEASURES

Eye Contact
Wash eyes immediately with enough amount of water or normal saline, occasionally lifting upper and lower lids until no evidence of chemical remains.
Seek medical aid if needed.
Skin Problem
Remove contaminated clothing, jewelry, and shoes immediately. Wash with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15-20 minutes). Seek medical aid if needed.
Ingestion
Never make an unconscious person vomit or drink fluids. When vomiting occurs, keep head lower than hips to help prevent aspiration. If person is unconscious, turn head to side. Seek medical attention immediately.
Note to physician: For ingestion, consider gastric lavage and activated charcoal slurry.
Inhalation
Remove from exposure immediately. Use a bag valve mask or similar device to perform artificial respiration (rescue breathing) if needed.
Seek medical aid if needed.

SECTION 5 — FIRE FIGHTING MEASURES

Method		
Fire and Explosion Hazards: The vapor is heavier than air.		
Extinguishing Media: Alcohol resistant foam, carbon dioxide, water, regular dry chemical.		
Fire-Fighting Instructions: Move container away from fire area if it can be done without risk.		
Large Fires: Use alcohol-resistant foam or flood with water spray.		
Flashpoint (° C) and Method	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
61° C	No Data	No Data
Autoignition Temperature (°C)	Explosion Data — Sensitivity to Impact	Explosion Data — Sensitivity to Static Discharge
No Data	No Data	No Data
Hazardous Combustion Products		
[NFPA]		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures
Occupational Release:
Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray.
Small Spills:
Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.
Large Spills:
Dike for later disposal. Remove sources of ignition. Keep unnecessary people away, isolate hazard area and deny entry.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment
Store and handle in accordance with all current regulation and standards.
Keep separated from incompatible substances.
Storage Requirements
Store in a tightly closed container, and in a cool, dry place. Ventilation required.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation:	Provide local exhaust ventilation system.
Eye Protection:	Wear splash resistant safety goggles.
Clothing:	Wear appropriate chemical resistant gloves.
Respirator:	Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Slightly ivory emulsion	Odour Threshold (ppm) Slight perfume
Specific Gravity 1.01-1.10	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) N/A
Evaporation Rate N/A	Boiling Point (° F) 180	Freezing Point (° F) N/A
pH 6.5	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] Soluble

SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Avoid heat, flames, sparks, and other sources of ignition. Containers may rupture when exposed to heat.
Incompatibility (Materials to avoid)	Acids, amines, halogens, halo carbons, oxidizing material, salts, peroxides, combustible materials.
Hazardous & Thermal decomposition products	Oxides of carbon

SECTION 11 — TOXICOLOGICAL INFORMATION

Inhalation
Inhalation of vapors produces toxic symptoms.
Eye Contact
May cause eye irritation.
Skin Contact
May cause skin irritation.
Ingestion
May be harmful if swallowed.
Chronic (cancer):
Does not cause cancer.
<div>NTP: No</div> <div>IARC: No</div> <div>OSHA: No</div>

SECTION 12 — ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid, waste management practices. Additional information is available from the supplier on request.

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Bio degradability	Chemical Oxygen Demand			
N/DA	N/DA			

SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Disposal should be in accordance with Federal, State/Provincial and Local regulations.
For Household Settings	The following instructions are for consumer usage only. Do not discharge product into natural waters.
For Non-Household Settings	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
California Waste Code:	331

SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Finished packaged product transported by ground (DOT)	Non hazardous.
Finished packaged product transported by vessel (IMDG)	Non hazardous.
Finished packaged product transported by air (IATA)	Non hazardous.

SECTION 15 — REGULATORY INFORMATION

US Federal Regulations The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable). CA Prop 65: This product is not subject to warning labeling under California Proposition 65.
European Inventory Coating Sealer <ul style="list-style-type: none">SAFETY PHRASES: S24/25: <i>Avoid direct contact with skin and eyes</i>, S26: <i>In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advice</i>, S37: <i>Wear suitable gloves</i>.
<i>This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.</i>

SECTION 16 — OTHER INFORMATION

DISCLAIMER
<p>This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by JB COSMETICS to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.</p> <p>This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. JB COSMETICS assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.</p>